

In re Application of:
Sternberg and Barr
Application No.: 09/479,467
Filed: January 6, 2000
Page 2

PATENT
Attorney Docket No.: CIT1520-1

AMENDMENTS

A. IN THE CLAIMS:

Please enter the following rewritten claims:

22. (Twice Amended) The construct of claim 93, wherein the reporter gene encodes a fluorescent protein.
26. (Twice Amended) The plasmid of claim 94 that is an expression vector.
93. (Amended) A construct comprising an isolated nucleic acid molecule operatively linked to a reporter gene, wherein the nucleic acid molecule comprises a sequence of nucleotides selected from the group consisting of:
- a) a sequence of nucleotides that encodes a *Caenorhabditis* LOV-1 protein and that encodes the sequence of amino acids encoded by the complement of the sequence of nucleotides set forth in SEQ ID No. 3;
 - b) a sequence of nucleotides that is the complement of a sequence of nucleotides set forth in SEQ ID No. 3 and that encodes a *Caenorhabditis* LOV-1 protein, or complement thereof;
 - c) a sequence of nucleotides that encodes a *Caenorhabditis* LOV-1 protein and that is fully complementary to at least one of the exons set forth in SEQ ID No. 3 under conditions of at least moderate stringency, and that is present in the genome of a *Caenorhabditis* nematode, wherein a *Caenorhabditis elegans* expressing the LOV-1 protein exhibits normal location of vulva and response male nematode sensory behaviors; and
 - d) a sequence of nucleotides degenerate with the sequence of nucleotides of c).
94. (Amended) A plasmid comprising an isolated nucleic acid molecule comprising a sequence of nucleotides selected from the group consisting of:

In re Application of:
Sternberg and Barr
Application No.: 09/479,467
Filed: January 6, 2000
Page 3

PATENT
Attorney Docket No.: CIT1520-1

- a) a sequence of nucleotides that encodes a *Caenorhabditis* LOV-1 protein and that encodes the sequence of amino acids encoded by the complement of the sequence of nucleotides set forth in SEQ ID No. 3;
- b) a sequence of nucleotides that is the complement of a sequence of nucleotides set forth in SEQ ID No. 3 and that encodes a *Caenorhabditis* LOV-1 protein, or complement thereof;
- c) a sequence of nucleotides that encodes a *Caenorhabditis* LOV-1 protein and that is fully complementary to at least one of the exons set forth in SEQ ID No. 3 under conditions of at least moderate stringency, and that is present in the genome of a *Caenorhabditis* nematode, wherein a *Caenorhabditis elegans* expressing the LOV-1 protein exhibits normal location of vulva and response male nematode sensory behaviors; and
- d) a sequence of nucleotides degenerate with the sequence of nucleotides of c).



95. (Amended) An isolated nucleic acid molecule that encodes a mutant *Caenorhabditis* LOV-1 protein comprising a sequence of nucleotides that encodes the sequence of amino acids set forth in SEQ ID NO. 15, wherein:

a *Caenorhabditis elegans* nematode expressing the mutant protein exhibits defective mating behavior;
a nematode that expresses such defect exhibits one or both of an altered location of vulva (Lov) and response phenotype; and
a wild-type LOV-1 protein is encoded by the nucleic acid molecule consisting of:

- a) a sequence of nucleotides that encodes a *Caenorhabditis* LOV-1 protein and that encodes the sequence of amino acids encoded by the complement of the sequence of nucleotides set forth in SEQ ID No. 3;
- b) a sequence of nucleotides that is the complement of a sequence of nucleotides set forth in SEQ ID No. 3 and that encodes a *Caenorhabditis* LOV-1 protein, or complement thereof;

In re Application of:
Sternberg and Barr
Application No.: 09/479,467
Filed: January 6, 2000
Page 4

PATENT
Attorney Docket No.: CIT1520-1

- c) a sequence of nucleotides that encodes a *Caenorhabditis* LOV-1 protein and
that is fully complementary to at least one of the exons set forth in SEQ ID No. 3 under
conditions of at least moderate stringency, and that is present in the genome of a
Caenorhabditis nematode, wherein a *Caenorhabditis elegans* expressing the LOV-1
protein exhibits normal location of vulva and response male nematode sensory
behaviors; and
- d) a sequence of nucleotides degenerate with the sequence of nucleotides of c).